Individual is identified who has confirmed or suspected COVID-19 infection (e.g., meets criteria in the Identification Process Flow)

- 1. Notify Regional Director, Clinical Practice
- 2. Begin <u>Isolation Procedure/</u> <u>Droplet Precautions</u> Individual is not to go to work/ school or community events

Does the individual served have symptoms requiring immediate hospitalization:

- Very difficult breathing (not helped by prescribed, as needed medication)
- Loud wheezing
- Increased confusion
- Fever/chills
- Mental changes
- Chest pain
- Blue Lips or tongue
- Clammy skin
- Decreased level of consciousness

Pneumonia Protocol

Call 911: notify dispatch that the individual has confirmed/ suspected COVID-19

YES-

YES

Is individual returning to the home following medical treatment?

NO Image: Follow up per usual procedure

Isolation quick start guide: (refer to <u>IC policy</u> for details)

- Notify Leadership immediately
- Director of Clinical Practice will provide support and assistance (including PPE order, isolation set up and education of staff)
- Individuals should in a single-person room with the door closed
- Separated from others by a minimum of 6 feet
- Individual should be assigned their own bathroom NO ONE ELSE should use this bathroom (disinfect after each use)
- DO NOT share household items
- Encourage the individual served to wear a mask and frequently wash their hands
- Implement full visitor restriction by posting this sign
- Staff in direct contact should wear PPE (mask, gown, gloves, eye protection N95 mask is not required)
- PPE is disposed of inside the individual's room
- Common surfaces should be cleaned twice daily

Does the person served require non-emergent medical attention:More difficulty breathing than usual, made worse by activity

- NO · Increased coughing
 - Increased restlessness, confusion or behaviors

YES

Irritability

If transporting individual:

- Health care provider, MD/ER must be notified in advance that the individual has confirmed or suspected COVID-19 infection
- Persons transporting the individual should wear a mask, gown, gloves, and eye protection (N95 mask is not required)

Evaluate for ability to safely provide care/support services in ICF/Waiver Home: **1. Contact Region Clinical/Quality Resource**

- 2. Conduct IDT meeting to review modifications to person's plan Considerations:
 - Is it possible to isolate the individual served?
 - Is staffing sufficient to meet the needs of the individuals served?
 - Are family involved and able to assist?

• What activities can staff utilize to engage the individual (board games, movies, puzzles, FaceTime with families, etc.)?

Are documentation changes required? (use of paper)

NO